

**2020**

Kraft M, Scherer Hofmeier K, Ruëff F, Pföhler C, Renaudin JM, Bilò MB, Treudler R, Lang R, Cichocka-Jarosz E, Fernandez-Rivas M, Christoff G, Papadopoulos NG, Ensina LF, Hourihane JO, Maris I, Koehli A, García BE, Jappe U, Vogelberg C, **Ott H** et al. Risk Factors and Characteristics of Biphasic Anaphylaxis [published online ahead of print, 2020 Aug 4]. *J Allergy Clin Immunol Pract.* 2020;S2213-2198(20)30794-7

Kordonouri O, Biester T, Weidemann J, **Ott H** et al. Lipoatrophy in children, adolescents and adults with insulin pump treatment: Is there a beneficial effect of insulin glulisine? [published online ahead of print, 2020 Aug 1]. *Pediatr Diabetes.* 2020

Wurpts G, Aberer W, Dickel H, Brehler R, Jakob T, Kreft B, Mahler V, Merk HF, Mülleneisen N, **Ott H** et al. Guideline on diagnostic procedures for suspected hypersensitivity to beta-lactam antibiotics: Guideline of the German Society for Allergology and Clinical Immunology (DGAKI) in collaboration with the German Society of Allergology (AeDA), German Society for Pediatric Allergology and Environmental Medicine (GPA), the German Contact Dermatitis Research Group (DKG), the Austrian Society for Allergology and Immunology (ÖGAI), and the Paul-Ehrlich Society for Chemotherapy (PEG). *Allergol Select.* 2020;4:11-43

Mayser P, Nenoff P, Reinel D, Abeck D, Brasch J, Daeschlein G, Effendy I, Ginter-Hanselmayer G, Gräser Y, Hipler UC, Höger P, Kolb-Mäurer A, **Ott H**, Schaller M, Zidane M. S1-Leitlinie Tinea capitis. *J Dtsch Dermatol Ges.* 2020 Feb;18(2):161-180

Balakirski G, **Grothaus J**, Altengarten J, **Ott H**. Pediatric lichen sclerosus: A systematic review of 4516 cases. *Br J Dermatol.* 2020 Jan;182(1):231-233

Reichel A, **Grothaus J**, **Ott H**. Pityriasis lichenoides acuta (PLEVA) pemphigoides: A rare bullous variant of PLEVA. *Pediatr Dermatol.* 2020 Apr 30. doi: 10.1111/pde.14181. Epub ahead of print

Ott H, Höger PH. Neonatal erythroderma. In *Textbook of Paediatric Dermatology*, Wiley 2020





Weinstein M, **Ott H**, Höger PH. Cutaneous infections in immunocompromised children. In Textbook of Paediatric Dermatology, Wiley 2020

2019

Ott H, Kregel S et al. Multidisciplinary long-term care and modern surgical treatment of congenital melanocytic nevi - recommendations by the CMN surgery network. J Dtsch Dermatol Ges. 2019 Oct;17(10):1005-1017

Schwieger-Briel A, **Ott H**, Kiritsi D, Laszczyk-Lauer M, Bodemer C. Mechanism of Oleogel-S10: A triterpene preparation for the treatment of epidermolysis bullosa. Dermatol Ther. 2019 Jul;32(4):e12983

Reimer A, **Ott H**. [Infantile haemangioma: an update]. Hautarzt. 2019 Jun;70(6):447-458

Ott H. Guidance for assessment of erythroderma in neonates and infants for the pediatric immunologist. Pediatr Allergy Immunol. 2019 May;30(3):259-268

Mahler V, Nast A, Bauer A, Becker D, Brasch J, Breuer K, Dickel H, Drexler H, Elsner P, Geier J, John SM, Kreft B, Köllner A, Merk H, **Ott H** et al. S3-Leitlinie: Durchführung des Epikutantests mit Kontaktallergenen und Arzneimitteln - Kurzfassung Teil 2. J Dtsch Dermatol Ges. 2019 Nov;17(11):1187-1207

Mahler V, Nast A, Bauer A, Becker D, Brasch J, Breuer K, Dickel H, Drexler H, Elsner P, Geier J, John SM, Kreft B, Köllner A, Merk H, **Ott H** et al. S3-Leitlinie: Durchführung des Epikutantests mit Kontaktallergenen und Arzneimitteln - Kurzfassung Teil 1. J Dtsch Dermatol Ges. 2019 Oct;17(10):1075-1093

Wurpts G, Aberer W, Dickel H, Brehler R, Jakob T, Kreft B, Mahler V, Merk HF, Mülleneisen N, **Ott H** et al. S2k-Leitlinie: Diagnostik bei Verdacht auf eine Betalaktamantibiotika-Überempfindlichkeit. Allergo J Int 2019; 28: 121–51





Atschekzei F, Jacobs R, Wetzke M, Sogkas G, Schröder C, Ahrenstorf G, Dhingra A, **Ott H**, Baumann U, Schmidt RE. A Novel CARMIL2 Mutation Resulting in Combined Immunodeficiency Manifesting with Dermatitis, Fungal, and Viral Skin Infections as Well as Selective Antibody Deficiency. *J Clin Immunol*. 2019 Apr 18. doi: 10.1007/s10875-019-00628-1. [Epub ahead of print] PubMed PMID: 31001706.

Fritz A, **Ott H**. [2-month-old male with reddish swelling on the cheek: Preparation for the specialist examination: part 50]. *Hautarzt*. 2019 Apr;70(Suppl 1):89-92. doi: 10.1007/s00105-019-4357-0. German. PubMed PMID: 30976878.

Schwieger-Briel A, Fuentes I, Castiglia D, Barbato A, Greutmann M, Leppert J, Duchatelet S, Hovnanian A, Burattini S, Yubero MJ, Ibañez-Arenas R, Rebolledo-Jaramillo B, Gräni C, **Ott H**, et al. Epidermolysis Bullosa Simplex With KLHL24 Mutations Is Associated With Dilated Cardiomyopathy. *J Invest Dermatol*. 2019 Jan;139(1):244-249

Mazereeuw-Hautier J, Vahlquist A, Traupe H, Bygum A, Amaro C, Aldwin M, Audouze A, Bodemer C, Bourrat E, Diociaiuti A, Dolenc-Voljc M, Dreyfus I, El Hachem M, Fischer J, Ganemo A, Gouveia C, Gruber R, Hadj-Rabia S, Hohl D, Jonca N, Ezzedine K, Maier D, Malhotra R, Rodriguez M, **Ott H**, et al. Management of congenital ichthyoses: European guidelines of care: Part One. *Br J Dermatol*. 2019 Feb;180(2):272-281

Mazereeuw-Hautier J, Hernandez-Martin A, O'Toole EA, Bygum A, Amaro C, Aldwin M, Audouze A, Bodemer C, Bourrat E, Diociaiuti A, Dolenc-Voljc M, Dreyfus I, El Hachem M, Fischer J, Ganemo A, Gouveia C, Gruber R, Hadj-Rabia S, Hohl D, Jonca N, Ezzedine K, Maier D, Malhotra R, Rodriguez M, **Ott H**, et al. Management of congenital ichthyoses: European guidelines of care: Part Two. *Br J Dermatol*. 2019 Mar;180(3):484-49

2018

Reimer A, Bruckner-Tuderman L, **Ott H**. Mapping health care of rare diseases: the example of epidermolysis bullosa in Germany. *Orphanet J Rare Dis*. 2018 Nov 8;13(1):197





Balakirski G, **Ott H**. Lichen sclerosus im Kindesalter – Eine interdisziplinäre Herausforderung. Pädiatrie: Kinder- und Jugendmedizin hautnah. 2018;30(4):34-37

Hotz A, Bourrat E, Küsel J, Oji V, Alter S, Hake L, Korbi M, **Ott H**, Hausser I, Zimmer AD, Fischer J. Mutation update for CYP4F22 variants associated with autosomal recessive congenital ichthyosis. Hum Mutat. 2018 Oct;39(10):1305-1313

Reimer A, Schwieger-Briel A, He Y, Leppert J, Schauer F, Kiritsi D, Schneider H, **Ott H** et al. Natural history and clinical outcome of patients with junctional epidermolysis bullosa generalized intermediate due to a LAMA3 mutation. Br J Dermatol. 2018 Apr;178(4):973-975

Savva R, **Ott H**, Haftel L, Endmann M. Unklare Effloreszenzen bei einem 17-jährigen Jungen. Monatsschr Kinderheilkd (2018) 166 (11), 944–946

2017

Lehmann S, Sprünken A, Wagner N, Tenbrock K, **Ott H**. Clinical relevance of IgE-mediated sensitization against the mould *Alternaria alternata* in children with asthma. Ther Adv Respir Dis. 2017 Jan;11(1):30-39

Ott H, **Grothaus J**. [Red, scaly baby: a pediatric dermatological emergency: Clinical and differential diagnoses of neonatal erythroderma]. Hautarzt. 2017Oct;68(10):796-802

Ott H. Chronische Urtikaria im Kindesalter: Rationale Diagnostik und Therapie. Hautarzt. 2017 Jul;68(7):571-582

Ott H, Balakirski G, **Rose-Diekmann C**, **Grothaus J**. Schwere kutane Arzneimittelreaktionen im Kindes- und Jugendalter. Pädiatrische Allergologie 2017;02:1-5

Lange L, Gernert S, Rose-Diekmann C, Arens A, **Ott H**. Arzneimittelüberempfindlichkeit im Kindes- und Jugendalter. Monatsschr Kinderheilkd 2017;165:131–138





Ott H. Antiinflammatorische Lokalthherapie des Atopischen Ekzems. Pädiatrische Allergologie – Sonderheft 2017;35-40

Oji V, Preil ML, Kleinow B, Wehr G, Fischer J, Hennies HC, Hausser I, Breitzkreutz D, Aufenvenne K, Stieler K, Tantcheva-Poór I, Weidinger S, Emmert S, Hamm H, Perusquia-Ortiz AM, Zараeva I, Diem A, Giehl K, Fölster-Holst R, Kiekbusch K, Höger P, **Ott H**, Traupe H. S1 guidelines for the diagnosis and treatment of ichthyoses - update. J Dtsch Dermatol Ges. 2017 Oct;15(10):1053-1065

2016

Grabenhenrich LB, Dölle S, Moneret-Vautrin A, Köhli A, Lange L, Spindler T, Ruëff F, Nemat K, Maris I, Roumpedaki E, Scherer K, **Ott H** et al. Anaphylaxis in children and adolescents: The European Anaphylaxis Registry. J Allergy Clin Immunol. 2016 Apr;137(4):1128-1137

Grabenhenrich L, Lange L, Härtl M, Kalb B, Ziegert M, Finger A, Harandi N, Schlags R, Gappa M, Puzzo L, Stephan V, Heigele T, Büsing S, **Ott H** et al. J Allergy Clin Immunol. 2016 Jun;137(6):1751-1760

Skazik-Voogt C, Kühler K, **Ott H**, Czaja K, Zwadlo-Klarwasser G, Merk HF, Amann PM, Baron JM. Myeloid human cell lines lack functional regulation of aryl hydrocarbon receptor-dependent phase I genes. ALTEX. 2016;33(1):37-46

Lange L, Gernert S, **Ott H**. Moderne serologische Allergiediagnostik bei Kindern – Wann sind welche Methoden sinnvoll? Pädiatrische Allergologie 2016;04:1-8

Gomes ER, Brockow K, Kuyucu S, Saretta F, Mori F, Blanca-Lopez N, **Ott H** et al.; ENDA/EAACI Drug Allergy Interest Group. Drug hypersensitivity in children: report from the pediatric task force of the EAACI Drug Allergy Interest Group. Allergy. 2016 Feb;71(2):149-61





Ott H, Eich C, Schriek K, Ludwikowski B. [Hereditary epidermolysis bullosa in school children and adolescents: Clinical picture and interdisciplinary management]. *Hautarzt*. 2016 Apr;67(4):279-86

Werfel T, Heratizadeh A, Aberer W, Ahrens F, Augustin M, Biedermann T, Diepgen T, Fölster-Holst R, Gieler U, Kahle J, Kapp A, Nast A, Nemat K, **Ott H** et al. S2k guideline on diagnosis and treatment of atopic dermatitis – short version. *Allergo J Int*. 2016;25:82-95

Werfel T, Aberer W, Ahrens F, Augustin M, Biedermann T, Diepgen T, Fölster-Holst R, Gieler U, Heratizadeh A, Kahle J, Kapp A, Nast A, Nemat K, **Ott H** et al. Leitlinie Neurodermitis [atopisches Ekzem; atopische Dermatitis]. *J Dtsch Dermatol Ges*. 2016 Jan;14(1):e1-75

Wolf-Abdolvahab S, **Arens A**, Abdelkhalek K, Völker B, **Ott H**. Rezidivierende aseptische Entzündungen der Haut. *Monatsschr Kinderheilkd* 2016;164:552–555

2015

Lange L, Finger A, Buderus S, **Ott H**. The ratio between Cor a 1- and hazelnut-specific IgE predicts negative challenge outcome in children. *Pediatric Allergy, Immunology, and Pulmonology*. March 2015, 28(1): 7-12

Beyer K, Grabenhenrich L, Beder A, Kalb B, Ziegert M, Finger A, Harandi N, Schlags R, Gappa M, Puzzo L, Röblitz H, Millner-Uhlemann M, Büsing S, **Ott H**, Lange L, Niggemann B. Predictive values of component-specific IgE for the outcome of peanut and hazelnut food challenges in children. *Allergy*. 2015 Jan;70(1):90-8

Ott H, Guthmann F, Ludwikowski B. [Interdisciplinary care of newborns with epidermolysis bullosa and severe congenital ichthyoses]. *Hautarzt*. 2015 Apr;66(4):236-44

Brockow K, Przybilla B, Aberer W, Bircher AJ, Brehler R, Dickel H, Fuchs T, Jakob T, Lange L, Pfützner W, Mockenhaupt M, **Ott H et al**. Guideline for the diagnosis of drug hypersensitivity





reactions: S2K-Guideline of the German Society for Allergology and Clinical Immunology (DGAKI) et al. *Allergo J Int.* 2015;24(3):94-105

2014

Ott H, Weißmantel S, Kennes LN, Merk HF, Baron JM, Fölster-Holst R. Molecular microarray analysis reveals allergen- and exotoxin-specific IgE repertoires in children with atopic dermatitis. *J Eur Acad Dermatol Venereol.* 2014 Jan;28(19):100-107

Schwieger-Briel A, Moellmann C, Naegele M, Schauer F, Kiritsi D, Schmidt E, Sitaru, C, **Ott H**, Kern JS. Bullous Pemphigoid in Infants: Characteristics, Diagnosis and Treatment. *Orphanet J Rare Dis.* 2014 Dec 10;9(1):185 **Ott H**. Akrales Peeling Skin-Syndrom. *Kinder- und Jugendarzt* 2014;4:181-182

Ott H. Nahrungsmittelanaphylaxie. *Monatsschr Kinderheilkd* 2014;162:883–891

Ott H, Kopp M, Lange L. *Kinderallergologie in Klinik und Praxis.* Springer Verlag 2014

2013

Ott H. Urtikaria. *Kinder- und Jugendarzt* 2013;4:157-160

Hengst M, **Ott H**. Mastozytose im Kindesalter. *Kinder- und Jugendarzt* 2013;4:161-165

Ott H. Kutane Arzneimittelreaktionen im Kindes- und Jugendalter. *Hautarzt.* 2012 Feb;63(2):97-103.

Schumann H, Kiritsi D, Pigors M, Hausser I, Kohlhase J, Peters J, **Ott H** et al. Phenotypic spectrum associated with $\alpha 6\beta 4$ integrin mutations. *Br J Dermatol* 2013 Jul;169(1):115-124



**2012**

Sebastian K, **Ott H**, Zwadlo-Klarwasser G, Skazik-Voogt C, Marquardt Y, Czaja K, Merk HF, Baron JM. Evaluation of the sensitizing potential of antibiotics in vitro using the human cell lines THP-1 and MUTZ-LC and primary monocyte-derived dendritic cells. *Toxicol Appl Pharmacol*. 2012 Aug 1;262(3):283-92

Bork K, Maurer M, Bas M, Hartmann K, Biedermann T, Kreuz W, Aygören-Pürsün E, Martinez-Saguer I, **Ott H**, Wedi B. Hereditäres Angioödem durch C1-Inhibitor-Mangel. *Allergo J* 2012; 21 (2):109–118

2011

Ott H, Tenbrock K, Baron JM, Merk HF, Lehman S. Basophil activation test for the diagnosis of hymenoptera venom allergy in childhood: a pilot study. *Klinische Pädiatrie* 2011;223(1):27-32

Ott H, Bufe A, Merk HF. [Indications and evidence base for specific immunotherapy in childhood]. *Hautarzt*. 2011 Sep;62(9):671-6

Ott H. Drug hypersensitivity. In *Textbook of Paediatric Dermatology*, Wiley 2011

Ott H. Purpura Schönlein Henoch. In *Textbook of Paediatric Dermatology*, Wiley 2011

Skazik C, Heise R, **Ott H**, Czaja K, Marquardt Y, Merk H F, Baron JM. Active transport of contact allergens in human monocyte derived dendritic cells is mediated by multidrug resistance related proteins. *Archives of Biochemistry and Biophysics* 2011; accepted for publication

Martin M, **Ott H**, Merk HF, Sachs B. Analysis of cytokine secretion from lymphocytes of patients with hypersensitivity reactions to contaminated heparins. *Br J Dermatol* 2011;164(1):68-75

Vöhringer S, Schrum J, **Ott H**, Höger PH. Severe phototoxicity associated with long-term voriconazole treatment. *J Dtsch Dermatol Ges*. 2011 Apr;9(4):274-6





Przybilla B, Rueff F, Walker A, Räwer HC, Aberer W, Bauer CP, Berdel D, Biedermann T, Brockow K, Forster J, Fuchs T, Hamelmann E, Jakob T, Jarisch R, Merk HF, Müller U, **Ott H** et al. Diagnose und Therapie der Bienen- und Wespengiftallergie. *Allergo J* 2011; 20:318–3

2010

Mühlhoff C, Schoberer M, **Ott H**. Akute Hauterkrankungen im Kindesalter. *Notfallmedizin up2date* 2010; *Intensivmedizin up2date* 2010; 6: 229 – 247

Ott H, Schröder C, Raulf-Heimsoth M, Mahler V, Ocklenburg C, Merk HF, Baron JM. Microarrays of recombinant *Hevea brasiliensis* proteins: a novel tool for the component-resolved diagnosis of natural rubber latex allergy. *Journal of Investigational Allergology and Clinical Immunology* 2010;20(2);129-138

Ott H, Wiederholt T, Bergström MA, Heise R, Skazik C, Czaja K, Marquardt Y, Karlberg AT, Merk HF, Baron JM. High-resolution transcriptional profiling of chemical-stimulated dendritic cells identifies immunogenic contact allergens, but not prohaptens. *Skin Pharmacol Physiol* 2010;23(4)213-224

Ott H, Fölster-Holst R, Merk HF, Baron JM. Allergen microarrays: a novel tool for high-resolution IgE profiling in adults with atopic dermatitis. *Eur J Dermatol* 2010;20(1):54-61.

Ott H, Baron JM, Heise R, Skazik C, Merk HF. Tacrolimus modulates dendritic cell activation in the sensitization phase of allergic contact dermatitis. *Skin Pharmacol Physiol* 2010;23(1):53-9

Ott H, Wilke J, Baron JM, Höger PH, Fölster-Holst R. Soluble immune receptor serum levels are associated with age, but not with clinical phenotype or disease severity in childhood atopic dermatitis. *J Eur Acad Dermatol Venereol* 2010;24(4):395-402

Martin M, Wurpts G, **Ott H**, Baron JM, Erdmann S, Merk HF, Sachs B. In vitro detection and characterization of drug hypersensitivity using flow cytometry. *Allergy* 2010;65(1):32-39



**2009**

Blanca M, Romano A, Torres MJ, Fernández J, Mayorga C, Rodriguez J, Demoly P, Bousquet PJ, Merk HF, Sanz ML, **Ott H**, Atanasković-Marković M, and the ENDA group. Update on the evaluation of hypersensitivity reactions to betalactams. *Allergy* 2009;64:183-193

Ott H, Andresen Bergström M, Heise R, Skazik C, Zwadlo-Klarwasser G, Merk HF, Baron JM, Karlberg AT. Cutaneous metabolic activation of Carvoxime, a self-activating, skin sensitizing prohapten. *Chemical Research in Toxicology* 2009;22:399-405

Ott H, Sieber J, Brehler R, Fölster-Holst R, Kapp A, Klimek L, Pfaar O, Merk HF. Efficacy of grass pollen sublingual immunotherapy for three consecutive seasons and after cessation of treatment: the ECRIT study. *Allergy* 2009;64:179-186

Ott H, Stanzel S, Ocklenburg C, Merk HF, Baron JM, Lehmann S. Total serum immunoglobulin E as a parameter to differentiate between intrinsic versus extrinsic Atopic Dermatitis in children. *Acta Dermato-Venereologica* 2009;89:257-261

Hütten M, **Ott H**. Allergische Kontaktekzeme im Kindes- und Jugendalter. *Pädiatrie hautnah* 2009;1:30-34

Ott H. Bedeutung von Nahrungsmittelallergien bei Kindern mit atopischem Ekzem. *Kinder- und Jugendarzt* 2003; 9: 689-697

Oprea ML, Schnöring H, Sachweh JS, **Ott H**, Biertz J, Vazquez-Jimenez JF. Allergy to pacemaker silicone compounds: recognition and surgical management. *Annals of Thoracic Surgery* 2009;87:1275-1277.

Brans R, **Ott H**, Merk HF. Weizen-abhängige, anstrengungsinduzierte Anaphylaxie. *Hautarzt* 2009;20;19:956-960

Hütten M, Lassay L, Sachs B, Deutz P, Mertens R, Baron JM, Merk HF, **Ott H**. Successful topical treatment of Sorafenib-induced hand-foot skin reaction in a child with hepatocellular carcinoma. *Pediatric Dermatology* 2009;26:349-350





Ott H. Pädiatrische Dermatologie. In „Pädiatrie... in 5 Tagen“, Springer Verlag 2009

2008

Heise R, Mey J, Neis M, Marquardt Y, Joussem S, **Ott H**, Megahed M, Bickers DR, Merk HF, Baron JM. Skin retinoid concentrations are modulated by CYP26A1 expression restricted to basal keratinocytes in normal human skin and differentiated 3D-skin models. *Journal of Investigative Dermatology* 2006;126(11):2473-2480]

Ott H, Baron JM, Heise R, Stanzel S, Ocklenburg C, Niggemann B, Merk HF, Beyer K. Clinical usefulness of microarray-based IgE detection in children with food allergy. *Allergy* 2008; 63:1521-1528

Busch M, Schröder C, **Ott H**, Baron JM, Bruckner T, Mahler V, Diepgen T. Novel glove-derived proteins induce allergen-specific IgE in a mouse model. *Journal of Investigative Dermatology* 2008;128(4):890-896

Viardot-Helmer A, **Ott H**, Sauer I, Merk HF. Basophil activation test as in vitro assay for cisplatin allergy. *Hautarzt*. 2008;59:883-884

Hütten M, Heimann K, Baron JM, Wenzl TG, Merk HF, **Ott H**. Staphylococcal scalded skin syndrome as harbinger of late-onset staphylococcal septicemia in a premature infant of very low birth weight. *Acta Derm Venereol*. 2008;88:416-417

Ott H, Wosnitza M, Merk HF. Immunologische Verlaufsparemeter unter spezifischer Immuntherapie. *Hautarzt* 2008; 59:551-556

Ott H, Hütten M, Baron JM, Merk HF, Fölster-Holst R. Neonatal and infantile Erythrodermas. *JDDG* 2008;6:1070-1085

Merk HF, **Ott H**. Taschenbuch Allergologie. ABW Wissenschaftsverlag 2008



**2007**

Andresen Bergström M, **Ott H**, Carlsson A, Neis M, Zwadlo-Klarwasser G, Merk HF, Karlberg AT, Baron JM. Skin-like cytochrome P450 cocktail activates prohapten to sensitizing metabolites. *Journal of Investigative Dermatology* 2007;127(5):1145-1153

Ott H, Frank J, Poblete-Gutierrez P. Eruptive lichen planus in a child. *Pediatric Dermatology* 2007;24:637-639.

Wurpts G, **Ott H**, Schlüter A, Häusler M. DRESS-Syndrom nach Carbamazepin. *Hautarzt* 2007;58:935-936

Viardot-Helmer A, Deisz S, Baron JM, Megahed M, **Ott H**. Lupus-Pannikulitis im Adoleszentenalter. *Hautarzt* 2007;58:920-922

Ott H, Hütten M, Häusler M, Megahed M, Baron JM. Kollodiumbaby: nicht-bullöse, kongenitale ichthyosiforme Erythrodermie. *Hautarzt* 2007;58:382-383

Ott H. Anaphylaxie im Kindes- und Jugendalter. *Hautarzt* 2007;58(12):1032-1040.

2006

Schönberger S*, **Ott H***, Gudowius S, Wüller S, Baron JM, Merk HF, Lassay L, Megahed M, Feyen O, Laws HJ, Dilloo D, Niehues T. Saving the red baby: Successful allogeneic cord blood transplantation in Omenn syndrome. *Clinical Immunology* 2008;130:259-263

Ott H, Höger PH. Stufentherapie des atopischen Ekzems. *Allergologie* 2006;29:57-70

Ott H, Baron JM, Merk HF. Allergologische in vitro-Diagnostik. *Hautarzt* 2006;57:502-508

Ott H, Baron JM. Nicht-hereditäre Photodermatosen im Kindesalter. *Hautarzt* 2006;57:1059-1066

Ott H, Schröder CM, Stanzel S, Merk HF, Baron JM. Microarray-based IgE detection in capillary blood samples of patients with atopy. *Allergy* 2006; 61:1146-1147





Ott H, Baron JM, Megahed M, Hütten M, Lassay L. Phacomatosis pigmentovascularis Typ IIA. Hautarzt 2006;57:439-440

2005

Ott H, Höger PH. Kutane Infektionen in der Pädiatrischen Onkologie. Klinische Pädiatrie 2005;217:110-119

Ott H. Medikamentenallergie im Kindesalter. Pädiatrische Allergologie 2005;2:6-12

Ott H, Höger PH. Besonderheiten der Haut des Neugeborenen und jungen Säuglings. Hautarzt 2005;56:905-914

2004

Ott H, Brost H. Aspirin-Intoleranz im Kindesalter. Pädiatrische Allergologie 2004;2:20-22

Ott H, Höger PH. Therapie des atopischen Ekzems im Kindesalter. Pädiatrische Praxis 2004; 65:445-458

Höger PH, **Ott H**. Topical antiinflammatory therapy in children with atopic dermatitis. Allergology (RUS) 2004; 2: 39-47

Ott H, Lehmann S, Poblete-Gutiérrez P, Frank J. Progressive symmetrische Erythrokeratodermie Darier-Gottron. Hautarzt 2004;55:994-996

Poblete-Gutiérrez P, **Ott H**, Krischer S, Grußendorf-Conen EI, Frank J. Adiponecrosis subcutanea neonatorum bei konnataler Pneumonie. Hautarzt 2004; 55: 67-70

Krischer S, **Ott H**, Barker M, Frank J, Erdmann S. Multilokuläres Erythema chronicum migrans bei Borreliose. Klinische Pädiatrie 2004;4:236-237





Wiederholt T, Poblete-Gutiérrez P, **Ott H**, Lehmann S, Grußendorf-Conen EI, Beermann T, Frank J. Incontinentia pigmenti. *Hautarzt* 2004;55:997-999

Lehmann S, **Ott H**, Barker M, Heimann G, Poblete-Gutiérrez P, Frank J. Nachweis geophiler und zoophiler Dermatophyten bei Geschwistern mit *Tinea capitis*. *Hautarzt* 2004;55:1001-1003

Ott H, Brost H, Poblete-Gutiérrez P, Schröder C, Frank J. Auriculotemporal syndrome in childhood. *Acta Dermato-Venereol* 2004; 84:160-161

2003

Brost H, **Ott H**, Pfannenstiel C, Wenzl TG, Heimann G. Aspirin intolerance in boy with primary ciliary dyskinesia. *Allergy* 2003; 58:160

